

VIVA PRO

AIR RETURN TROFFER

REPLACING 86W TWIN T8 FLUORESCENT FITTINGS



PRECISION
DIMMING



PRO-VISION



PRO-COLOUR



COOLTECH



FLEXITECH

**PLUG
&
FLEX**



*To see 360 degree rotations
of this product visit littil.com.au*

APPLICATIONS

Constant current input 30W LED Lamp, direct replacement for the energy consuming 86W twin 1200x300 mm or 500x500 mm light fitting. Troffer and driver combined consume only 30W, with zero radiation or interference. Suitable for every clear span, suspended or subdivided commercial or public area ceiling.

FEATURES & BENEFITS

- **Air return into empty ceiling and AC boot connection**
- Unique optical design with lumen output ratio of 90%
- **Philips Certadriver driver**
- Kit available for Recessed/Surface mounted installation
- Flexible cord/AU mains plug connected to driver

30W**GENERAL**

Model Number	LED Troffer 500x500 AIR with 30W Philips Certadrive	LED Troffer 1200x300 AIR with 30W Philips Certadrive
Dimensions (LxW)	500 x 500	1200 x 300
Weight	4.6KG	4.9KG
Sail Area	N/A	
Lighting Category	Linear	
Lifetime	Reported: >36,000hrs & Up to 64,000 hrs	
Warranty	5 years	
Storage Temperature	-20°C ~ 50°C	
Operating Temperature	30°C	

OPTICAL

Beam Angle	120°	
Lumens (lm)	2700 - 2800 Lm	
LED Type	Refond SMD RF-P32-0.5	
No. of LED's	144	130
LED Colour Temperature	4000K, 5000K and 6000K	
Colour Rendering Index	>80	

ELECTRICAL

Driver Type	CertaDrive 30W 0.7A 42V I 230V	
Input Voltage	220-240 VAC, 50/60 Hz	
Power Factor	>0.9	
Inrush Current	4.8A	
Output Voltage	32-42Vdc	
Output Current	0.7A	
Dimming	Dimmable and Dali Options	
Recommended Dimmers	Clipsal LED Dimmer 32ELEDM, Trader Dimpala Eclipse	
Sensor Capability	No	


COMPLIANCE

AS/NZS 60598.1
AS/NZS 60598.2.1

ISO 9001

**SKU****ORDERING**

TROF VIVA AIR 30W 5x5 4K PC30	9343907002702
TROF VIVA AIR 30W 5x5 5K PC30	9343907002703
TROF VIVA AIR 30W 5x5 6K PC30	9343907002704
TROF VIVA AIR 30W 12x3 4K PC30	9343907002701
TROF VIVA AIR 30W 12x3 5K PC30	9343907002256
TROF VIVA AIR 30W 12x3 6K PC30	9343907002705




VIVA PRO


LED TROFFERS

LUMINOUS INTENSITY DISTRIBUTION FOR TROFFERS


30W/5x5/90LM/W




Total Flux: 2808lm



30W/12X3/95LM/W




Total Flux 2713lm



DIMENSIONAL DRAWINGS

32W 6x6 AIR RETURN TROFFER



32W 12x3 AIR RETURN TROFFER

